SECTION 1:	I	DENTIFICATION	
Company Name:	Chemworld		
Åddress:	885 Woodstock Road		
	Ste 430-111		
	Roswell, GA 30075		
Phone No.	800.658.7716		
Fax No.			
Emergency Phone No.	CHEM-TEL 800-255-3924		
Date Prepared:	5/23/06		
Date Revised:	5/19/09		
SECTION 2:	I	NGREDIENTS	
MATERIAL		CAS NO.	<u>%</u>
2-PHOSPHONOBUTAN	E-1, 2,4-TRICARBOXYLIC ACID,		
POTASSIUM SA	ALT	3858-78-7	1 – 5
	YLIC ACID, POTASSIUM SALT	PROPRIETARY	1 – 5
HYDROXYPHOSPHON	OACETIC ACID, POTASSIUM SA	ALT 129836-12-0	1 – 5
SODIUM TOLYTRIAZO	LE	64665-57-2	1 – 5

SECTION 3:

POTASSIUM HYDROXIDE

HEALTH HAZARDS

1310-58-3

< 1

-	MAY BE TOXIC IN CONCENTRATED FORM. DO NOT TAKE INTERNALLY. NOT A LIKELY ROUTE OF EXPOSURE. INHALATION OF MIST MAY BE IRRITATING TO RESPIRATORY TRACT.
Eye Contact:	NOT AN IRRITANT CAUSES IRRITATION.
Other Information:	OTHER THAN ACUTE EFFECTS LISTED ABOVE, NO LONG TERM EFFECTS KNOWN.

SECTION 4:

FIRST AID

Ingestion:	DRINK SEVERAL GLASSES OF WATER TO DILUTE. DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. GET
Inhalation:	MEDICAL ATTENTION.
	REMOVE VICTIM TO FRESH AIR. GET MEDICAL ATTENTION IF SYMPTOMS
Skin Contact:	PERSIST.
Eye Contact:	WASH WITH PLAIN WATER OR SOAP AND WATER.
	IMMEDIATELY FLUSH WITH CLEAR WATER FOR 15 MINUTES AND GET MEDICAL
Notes to Physician:	ATTENTION IF IRRITATION PERSISTS.
	NO ANTIDOTES KNOWN. TREAT SYMPTOMS SUPPORTIVELY.

SECTION 5:

FIRE AND EXPLOSION HAZARD DATA

Flash Point/Method:	NONE
FIASH FUILIVIVIEUTOU.	NONE
Upper/Lower Limit in Air::	N.A./N.A.
Extinguishing Media:	WATER OR ANY MEDIA SUITABLE FOR THE SURROUNDING FIRE.
Procedures:	FIREFIGHTERS SHOULD WEAR NORMAL PROTECTIVE EQUIPMENT. SELF-
	CONTAINED BREATHING APPARATUS SHOULD BE USED IN CONFINED AREAS.
Unusual Hazards:	NONE
Combustion Products:	IF WATER IS EVAPORATED, OXIDES OF CARBON AND PHOSPHORUS MAY BE
	PRODUCED.

SECTION 6:	ACCIDENTAL RELEASE MEASURES	
Personal Precautions: Environmental Precautions:	WEAR PERSONAL PROTECTIVE EQUIPMENT AS RECOMMENDED IN SECTION 8. THIS PRODUCT HAS A LOW HAZARD POTENTIAL IF RELEASED INTO THE	
Procedures for Clean Up:	ENVIRONMENT ACCIDENTLY. SMALL SPILLS MAY BE FLUSHED WITH COPIOUS QUANTITIES OF WATER, PREFERABLY TO A SANITARY SEWER. LARGER SPILLS MAY BE DIKED TO MINIMIZE RUN-OFF AND NEUTRALIZED WITH DILUTE ACID. LIQUID MAY BE ABSORBED IN SAWDUST OR ANY AVAILABLE ABSORBANT AND SWEEPINGS DISPOSED OF IN A LANDFILL. OBEY ALL FEDERAL, STATE OR LOCAL REGULATIONS.	
SECTION 7: HANDLING AND STORAGE		
Handling: Storage:	NORMAL INDUSTRIAL HANDLING PRACTICES. KEEP OUT OF REACH OF CHILDREN. STORE IN A COOL, DRY PLACE. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE.	

SECTION 8:	EXPOSURE CONTROLS/PERSONAL PROTECTION
Precautionary Measures:	STANDARD INDUSTRIAL HANDLING PRECAUTIONS. WASH THOROUGHLY AFTER HANDLING CHEMICALS.
Engineering Controls:	USE WITH ADEQUATE VENTILATION TO KEEP EXPOSURES BELOW OCCUPATIONAL EXPOSURE LIMITS.
Control Limits:	
Equipment for Personal	5
Protection:	SAFETY GLASSES WITH SIDE SHIELDS AND IMPERMEABLE GLOVES SHOULD BE WORN WHEN HANDLING THE CONCENTRATED PRODUCT. EYEWASH STATION AND SAFETY SHOWER IN AREA OF USE.

SECTION 9:	PHYSICAL AND CHEMICAL PROPERTIES
Appearance:	AMBER LIQUID
Odor:	CHARACTERISTIC
pH (undiluted):	<12.5
Specific Gravity:	
Density:	8.9 lbs./gal.
Solubility in Water:	COMPLETE
Boiling Point:	
Percent Volatile:	>70 (WATER)
Vapor Pressure (mmHg):	N.D.
Vapor Density:	N.D.
Evaporation Rate:	(water=1): ~1

SECTION 10:	STABILITY AND REACTIVITY
Stability: Conditions to Avoid: Hazardous Polymerization: Conditions to Avoid:	STABLE
Incompatibility:	MAY REACT WITH STRONG OXIDIZING AGENTS OR ACIDS.
Hazardous Decomposition	
Products:	IF WATER EVAPORATED, OXIDES OF CARBON AND PHOSPHORUS COULD BE
	PRODUCED BY COMBUSTION.

SECTION 11:	TOXICOLOGICAL INFORMATION
Material & Tests:	POTASSIUM HYDROXIDE: ORAL LD50 (RAT) >273 mg/kg; PHOSPHONO- CARBOXYLIC ACID, SODIUM SALT: ORAL LD50 (RAT) >5g/kg, DERMAL LD50 (RABBIT) >2g/kg; HYDROXYPHOSPHONO-ACETIC ACID, POTASSIUM SALT: ORAL LD50 (RAT) 2750 mg/kg; SODIUM TOLYLTRIAZOLE: ORAL LD50 (MALE RATS) 920 mg/kg, (FEMALE RATS) 640 mg/kg.

SECTION 12:	ECOLOGICAL INFORMATION
Aquatic Toxicity:	POTASSIUM HYDROXIDE: 96 HR LC50 FATHEAD MINNOW = 179 mg/l; 48 HR EC50 WATER FLEA = 60 mg/l; 96 HR EC50 GREEN ALGAE = 61 mg/l. PHOSPHONO- CARBOXYLIC ACID, SODIUM SALT: LC50(96 hr.) BLUEGILL > 1,000 ppm; LC50 (96 hr) RAINBOW TROUT = 1200 ppm; EC50 (48 hr) DAPHNIA MAGNA = 1800 ppm. HYDROXYPHOSPHONOACETIC ACID: RAINBOW TROUT (96 Hr LC50) 180 ppm, DAPHNIA MAGNA (48 Hr EC50) >140 ppm; SODIUM TOLYLTRIAZOLE: RAINBOW TROUT (96 Hr LC50) 23.7 ppm, BLUEGILL SUNFISH (96 Hr LC50) 191.2 ppm, DAPHNIA MAGNA (48 Hr EC50) 245 ppm.

SECTION 13:	DISPOSAL CONSIDERATIONS
General Considerations: Procedures:	THIS PRODUCT WOULD NOT BE CONSIDERED A HAZARDOUS WASTE. DISPOSAL BY USE PREFERRED BUT IF THIS NOT POSSIBLE, DILUTE WITH COPIOUS QUANTITIES OF WATER AND FLUSH TO WASTE, PREFERABLY TO A SANITARY SEWER. OBEY ALL FEDERAL, STATE OR LOCAL REGULATIONS.

SECTION 14:	TRANSPORT INFORMATION
Shipping Name:	COMPOUNDS, WATER TREATMENT, N.O.S. (NOT REGULATED BY US DOT)

Shipping Name:	COMPOUNDS, WATER TREATMENT, N.O.S. (NOT REGULATED BY US DOT)	
		1

SEC	TION	15:

REGULATORY INFORMATION

<u>Regulation</u> CERCLA (40 CFR302.4):	Material POTASSIUM HYDROXIDE	<u>RQ</u> 1000 lbs.	<u>Max. %</u> 1	
SARA 302 (Sect. 355, Appendix A):	<u>Material</u> NONE	<u>TPQ</u>	<u>Max. %</u>	
SARA 311/312:	<u>Categories</u> IMMEDIATE HEALTH		<u>azards</u> IRRITANT	
SARA 313 (40 CFR 372.45):	<u>Material</u> NONE		<u>Max. %</u>	
CWA (40 CFR 401.15):	NONE			
RCRA (40 CFR 261):	NONE			
OSHA (29 CFR 1910.1200):				
TSCA:	OF THIS MSDS.	RODUCT ARE LISTE	D IN THE TSCA INVE	NTORY.

SPECIAL STATE REGULATIONS

07170	<u>INGREDIENT</u>	<u>%</u>	REGULATORY DESIGNATION
-------	-------------------	----------	------------------------

SECTION 16 OTHER INFORMATION

SUGGESTED HAZARD RATINGS					
<u>NFPA</u> * 2	<u>HAZARD</u> HEALTH (Blue)	<u>HMIS</u> * 2			
0	FIRE (Red)	0			
0	REACTIVITY (Yellow)	0			
	PERSONAL PROTECTION	В			
	SPECIAL HAZARDS				

*Notes: 0 = Insignificant; 1 = Slight; 2 = Moderate; 3 = High; 4 = Extreme

The data contained in this Material Safety Data Sheet has been prepared based upon an evaluation of the ingredients in the product, their concentration in the product and potential interactions. The information is offered in good faith and is believed to be accurate. It is furnished to the customer who is urged to study it carefully to become aware of hazards, if any, in the storage, handling, use and disposal of the product; and to insure his employees are properly informed and advised of all safety precautions required. The information is furnished for compliance with the "Occupational Safety and Health Act" of 1970, the "Hazards Communication Act" of 1983 as well as various other Federal, State and Local regulations. Use or dissemination of all or part of this information for any other purpose is prohibited by law.